

Spo2 sensor

E-mail : trimus@t-online.hu

E

W website : www.trimus.hu

TEL : [06/20-9-838-646](tel:06209838646) , Fax: [06/1-410-1148](tel:0614101148)

Spo2 sensor catalog with price list

BCI

OEM P/N	P/N	Description(Connector, Length)
3044	AF001-3	BCI Adult finger clip sensor , <u>7PIN MALE REDEL</u> ,L=3M
	PF001-3	BCI pediatric finger clip sensor , <u>7PIN MALE REDEL</u> ,L=3M
	AS001-3	BCI Adult silicone soft tip sensor , <u>7PIN MALE REDEL</u> ,L=3M
	PS001-3	BCI pediatric silicone soft tip sensor , <u>7PIN MALE REDEL</u> ,L=3M
	NW001-3	BCI neonate silicone wrap spo2 sensor , <u>7PIN MALE REDEL</u> ,L=3M , Non-detachable
	AE001-3	BCI Adult ear clip sensor , <u>7PIN MALE REDEL</u> ,L=3M
	AT001-3	BCI Animal tongue clip sensor , <u>7PIN MALE REDEL</u> ,L=3M
	NW001-3 Y	BCI Multi-site Y cable with separate wrap , L=3m ,Redel 7pin, Wrap Detachable
	NW001-3 F	BCI Adult/ Neonate multi-site spo2 sensor , with FOAM wrap tape .



Compatibilities: BCI 3100, 3101,6100, 9100 Advisor ,
Autocorr, MiniTorr, Minitorr Plus (**Direct connect**)

OEM P/N	P/N	Description(Connector, Length)
3044	AF001-1	BCI Adult finger clip sensor , DB9 Male,L=1M
	AF001-3D	BCI Adult finger clip sensor , DB9 Male,L=3M
	PF001-1	BCI pediatric finger clip sensor , DB9 Male,L=1M
	PF001-3D	BCI pediatric finger clip sensor , DB9 Male,L=3M
	AS001-1	BCI Adult silicone soft tip sensor , DB9 Male,L=1M
	AS001-3D	BCI Adult silicone soft tip sensor , DB9 Male,L=3M
	PS001-1	BCI pediatric silicone soft tip sensor , DB9 Male,L=1M
	PS001-3D	BCI pediatric silicone soft tip sensor , DB9 Male,L=3M
3444Y	NW001-1	BCI neonate silicone wrap sensor , DB9 Male,L=1M , non Detachable
	NW001-3D	BCI neonate silicone wrap sensor , DB9 Male,L=3M
	AE001-1	BCI Adult ear clip sensor , DB9 Male,L=1M
	AE001-3D	BCI Adult ear clip sensor , DB9 Male,L=3M
	AT001-1	BCI Animal tongue clip sensor , DB9 Male,L=1M
	AT001-3D	BCI Animal tongue clip sensor , DB9 Male,L=3M
	NW001-3 Y	BCI Multi-site Y cable with separate wrap , L=3m ,
	NW 001-3 F	BCI Adult/ Neonate multi-site spo2 sensor , with

Compatibilities: Compatible with BCI 3300, 3301, 3302,3303, 3304, 34

Spo2 sensor



Biosys (Korea)

OEM P/N	P/N	Description(Connector, Length)
	AF002	BIOSYS Adult finger clip sensor , MD6M , L=3m
	PF002	BIOSYS Pediatric finger clip sensor , MD6M , L=3m
	AS002	BIOSYS Adult silicone soft tip sensor , MD6M , L=3m
	PS002	BIOSYS Pediatric silicone soft tip sensor , MD6M , L=3m
	NW002	BIOSYS Neonate silicone wrap sensor , MD6M , L=3m , Non-detachable
	AE002	BIOSYS Adult ear clip sensor , MD6M , L=3m
	AT002	BIOSYS Animal tongue clip sensor , MD6M , L=3m
	NW 002 Y	BIOSYS Multi-site Y cable with separate wrap ,MD6M, Wrap Detachable, L=3M
	NW 002 F	BIOSYS Adult/ Neonate multi-site spo2 sensor ,with FOAM wrap tape,MD6M, L=3m

compatible with **Biosys** BPM-300



CSI

OEM P/N	P/N	Description(Connector, Length)
511-10/934-10L	AF004-3	CSI Adult finger clip sensor , 5PIN LEMO MALE ,FGG.1B ,L=3M
	PF004-3	CSI pediatric finger clip sensor , 5PIN LEMO MALE ,FGG.1B ,L=3M
	AS004-3	CSI Adult silicone soft clip sensor , 5PIN LEMO MALE ,FGG.1B ,L=3M
	PS004-3	CSI silicone soft-tip sensor , 5PIN LEMO MALE ,FGG.1B ,L=3M
	NW004-3	CSI neonate silicone wrap sensor , 5PIN LEMO MALE ,FGG.1B ,L=3M , Wrap Non-detachable
	AE004-3	CSI Adult ear clip sensor , 5PIN LEMO MALE ,FGG.1B ,L=3M
	AT004-3	CSI Animal tongue clip sensor , 5PIN LEMO MALE ,FGG.1B ,L=3M
	NW004-3 Y	CSI Multi-site Y cable with separate wrap , L=3m ,lemo 5pin , Wrap Detachable
	NW 004-3 F	CSI Adult/ Neonate multi-site spo2 sensor ,with FOAM wrap, lemo 5pin .L=3m

Compatibilities :Criticare Systems International :CSI 501, 503, 504, 507, 508, 581,1100, Poet (602-3A),8100

PONI,Scholar (**Direct connect**)




Spo2 sensor

CSI

OEM Part No.	P/N	Description(Connector, Length)
511SD	AF005-1	CSI Adult finger clip sensor, DB9 Male ,L=1M
	PF005-1	CSI pediatric finger clip sensor, DB9 Male ,L=1M
	AS 005-1	CSI Adult silicone soft clip sensor, DB9 Male ,L=1M
	PS005-1	CSI silicone soft-tip sensor,DB9 Male ,L=1M
	NW005-1	CSI neonate silicone wrap sensor,DB9 Male ,L=1M , Non-detachable
	AF005-3	CSI Adult finger clip sensor, DB9 Male ,L=3M
	PF005-3	CSI pediatric finger clip sensor, DB9 Male ,L=3M
	AS 005-3	CSI Adult silicone soft clip sensor, DB9 Male ,L=3M
	PS005-3	CSI silicone soft-tip sensor,DB9 Male ,L=3M
	NW005-3	CSI neonate silicone wrap sensor,DB9 Male ,L=3M , Non-detachable
	AE005-1	CSI Adult ear clip sensor, DB9 Male ,L=1M
	AT005-1	CSI Animal tongue clip sensor, DB9 Male ,L=1M
	NW004-3 Y	CSI Multi-site Y cable with separate wrap , CSI DB9 , Wrap Detachable
	NW 004-3 F	CSI Adult/ Neonate multi-site spo2 sensor ,with FOAM wrap, DB9 6pin .

Compatibilities :: Criticare Systems International :CSI 503spot,504plus,504DX, 504DXN.

(**Direct connect or use Adapter EX005**)




Critikon

OEM P/N	P/N	Description(Connector, Length)
9084+8731	AF006	Critikon Adult finger clip sensor , LEMO Male 7PIN(FGG.1B) , L=3M
	PF006	Critikon Pediatric finger clip sensor ,LEMO Male 7PIN(FGG.1B), L=3M
	AS006	Critikon Adult silicone soft-tip sensor ,LEMO Male 7PIN(FGG.1B), L=3M
	PS006	Critikon Pediatric silicone soft-tip sensor ,LEMO Male 7PIN(FGG.1B), L=3M
	NW006	Critikon Neonate silicone wrap sensor ,LEMO Male 7PIN(FGG.1B), L=3M, Non-detachable
	AE006	Critikon Adult ear clip sensor , LEMO Male 7PIN(FGG.1B) , L=3M
	AT006	Critikon Animal tongue clip sensor , LEMO Male 7PIN(FGG.1B) , L=3M
	NW006-3 Y	Critikon Multi-site Y cable with separate wrap , Lemo 7pin , Wrap Detachable

NW 006-3 F **Critikon Adult/ Neonate multi-site spo2 sensor ,with FOAM wrap, Lemo 7pin**

Compatibilities : Suitable for Critikon Dinamap

8700, 8710, 8720 (Direct Connect)



Datex -Ohmeda

OEM P/N	P/N	Description(Connector, Length)
OXY-F-DB	AF007-1	Datex Adult finger clip sensor ,DB9 male,L=1m
	PF007-1	Datex Pediatric finger clip sensor ,DB9 male,L=1m
	AS007-1	Datex Adult silicone soft tip sensor ,DB9 male,L=1m

Spo2 sensor

	PS007-1	Datex Pediatric silicone soft tip sensor , DB9 male, L=1m
OXY-W-DB	NW007-1	Datex Neonate silicone wrap sensor,DB9 male ,L=1m , Non-detachable
OXY-E-DB	AE007-1	Datex Adult ear clip sensor ,DB9 male,L=1m
	AT007-1	Datex Animal tongue clip sensor ,DB9 male,L=1m
	NW007-1 Y	Datex-Ohmeda Multi-site Y cable with separate wrap ,DB9 male, Wrap Detachable
OXY-W-DB	NW 007-1 F	Datex-Ohmeda Adult/ Neonate multi-site spo2 sensor,with FOAM wrap,DB9 male

Compatibilities: Suitable for **Datex-Ohmeda** As/3,CS/3,CH/S,CH/2S,CH-RS,CG/2S,Cardiopac II ,
 Capnomac Ultima, light monitor , m-Estpr. Oscar II, OSP-200
 Satlite Trans, Satlite Trans Plus , ULTSVI, ULTSVO,ULTSIO,ULT200.**Require Adapter EX007**



Datex-Ohmeda

OEM Part No	P/N	Description(Connector, Length)
OXY-F4-N	AF007-3	Datex Engstrom Adult finger clip sensor,10PIN Female, L=3M
	PF007-3	Datex Engstrom Pediatric finger clip sensor ,10PIN Female ,L=3M
	AS007-3	Datex Engstrom Adult silicone soft tip sensor ,10PIN Female,L=3M
	PS007-3	Datex Engstrom Pediatric silicone soft tip sensor ,10PIN female , L=3M
OXY-W4-N	NW007-3	Datex Engstrom silicone wrap sensor , 10PIN female , L=3M, Non-detachable
OXY-E4-N	AE007-3	Datex Engstrom Adult ear clip sensor,10PIN Female, L=3M
	AT007-3	Datex Engstrom Animal tongue clip sensor,10PIN Female, L=3M
	NW007-3 Y	Datex-Ohmeda Multi-site Y cable with separate wrap ,10pin female, Wrap Detachable
OXY-W4-N	NW 007-3 F	Datex Adult/Neonate silicone wrap Spo2 sensor + Foam Wrap (OXY-RWM) , 10pin

Compatibilities: Suitable for **Datex-Ohmeda** As/3,CS/3,CH/S,CH/2S,CH-RS,CG/2S,Cardiopac II ,
 Capnomac Ultima, light monitor , m-Estpr. Oscar II, OSP-200
 Satlite Trans, Satlite Trans Plus , ULTSVI, ULTSVO,ULTSIO,ULT200.**(Direct Connect)**



Datascope

OEM P/N	P/N	Description(Connector, Length)
0020-00-071-01	AF008-3	DATASCOPE Adult finger clip sensor, 8PIN MALE D
	PF008-3	DATASCOPE pediatric finger clip sensor, 8PIN MALI
	AS008-3	DATASCOPE Adult silicone soft tip sensor, 8PIN MA

Spo2 sensor

	PS008-3	DATASCOPE pediatric silicone soft tip sensor, 8PIN MALE DIN ,L=3M
	NW008-3	DATASCOPE Neonate silicone wrap sensor, 8PIN MALE DIN ,L=3M , Non-detachable
	AE008-3	DATASCOPE Adult ear clip sensor, 8PIN MALE DIN ,L=3M
	AT008-3	DATASCOPE Animal tongue clip sensor, 8PIN MALE DIN ,L=3M
	NW008-3 Y	Datascope Multi-site Y cable with separate wrap ,8pin male, Wrap Detachable
	NW 008-3 F	Datascope Adult/ Neonate multi-site spo2 sensor,with FOAM wrap,8pin male



Compatibilities : Datascope Accusat ,
Accutorr Plus , passport, Accutorr 3/4 SAT,
(Direct connect)



Datascope

OEM P/N	P/N	Description(Connector, Length)
0060-00-0026-02	AF008-1	DATASCOPE Adult finger clip sensor, DB9 Male ,L=1M
	PF008-1	DATASCOPE pediatric finger clip sensor, DB9 Male ,L=1M
	AS008-1	DATASCOPE Adult silicone soft tip sensor, DB9 Male ,L=1M
	PS008-1	DATASCOPE pediatric silicone soft tip sensor, DB9 Male ,L=1M
	NW008-1	DATASCOPE Neonate silicone wrap sensor, DB9 Male ,L=1M , Non-detachable
	AE008-1	DATASCOPE Adult ear clip sensor, DB9 Male ,L=1M
	AT008-1	DATASCOPE Animal tongue clip sensor, DB9 Male ,L=1M
	NW008-1 Y	Datex-Ohmeda Multi-site Y cable with separate wrap ,DB9 male, Wrap Detachable
	NW 008-1 F	Datex-Ohmeda Adult/ Neonate multi-site spo2 sensor,with FOAM wrap,DB9



Compatibilities : Datascope Accusat ,
Accutorr Plus , passport, Accutorr 3/4 SAT,
Require Adapter EX004

Datex Ohmeda

OEM P/N	P/N	Description(Connector, Length)
OXY-F4-H	AF009	Datex Ohmeda Adult finger clip sensor, Hypetronics 7PIN Male ,L=3m
	PF009	Datex Ohmeda Pediatric finger-clip, Hypetronics 7PIN Male ,L=3m
	AS009	Datex Ohmeda Adult silicone soft tip sensor, Hypetronics 7PIN Male ,L=3m
	PS009	Datex Ohmeda pediatric silicone soft tip sensor, Hypetronics 7PIN Male ,L=3m
OXY-W4-H	NW009	Datex Ohmeda neonate wrap sensor , Hypetronics 7PIN Male ,L=3m , Non-detachable
OXY-E4-H	AE009	Datex Ohmeda Adult ear clip sensor, Hypetronics 7PIN Male ,L=3m
	AT009	Datex Ohmeda Animal tongue clip sensor, Hypetronics 7PIN Male ,L=3m
	NW009 -Y	Datex-Ohmeda Multi-site Y cable with separate wrap,hyperstronic 7pin, Wrap Detachable
	NW 009- F	Datex-Ohmeda Adult/ Neonate multi-site spo2 sensor,with FOAM wrap

Compatibilities: Be Compatible with **Ohmeda** 3700,,3710,3770,3775,3800,3900,Biox3740, 3760, 4700, Oxicap

GE Medical Systems :7000 series ,Corometricsa 511,Tram A.R.,TRAM Modular X00sl series

Mennen :Horizon XL **(Direct connect)**



Created with

Spo2 sensor

Datex-Ohmeda

OEM P/N	P/N	Description(Connector, Length)
OXY-F-UN	AF051	GE Datex Ohmeda Adult finger clip sensor , <u>8pin Male</u> , L=1M
	PF051	GE Datex Ohmeda pediatric finger clip sensor , <u>8pin Male</u> , L=1M.
	AS051	Datex Ohmeda Adult silicone soft tip sensor , <u>8pin , Male</u> , L=1M
	PS051	Datex Ohmeda Pediatric silicone soft tip sensor <u>8pin Male</u> , L=1M
OXY-W-UN	NW051	Datex Ohmeda neonate silicone wrap sensor , <u>8pin Male</u> , L=1M , Non-detachable
OXY-E-UN	AE051	Datex Ohmeda Adult ear clip sensor , <u>8pin Male</u> , L=1M
	AT051	Datex Ohmeda Animal tongue clip sensor , <u>8 pin Male</u> , L=1M
	NW051-Y	Datex-Ohmeda Multi-site Y cable with separate wrap,8pin male, Wrap Detachable
	NW051- F	Datex-Ohmeda Adult/ Neonate multi-site spo2 sensor,8pin male,with FOAM wrap

Compatibilities : Use with Handheld pulse oximeters (Tuftsat, 3775)
 Stand Alone pulse oximeter (37** series, 3800, 3900.3900P),respiratory gas monitors (4700, 5259RGM)
 M-OSAT module , N-XOSAT option for Cardiocap.5 ; OEM patnering monitors ;
 All S/5 monitors, all AS/3,CS/3 Monitors , Cardiocap ,Capnomac Utima and Satlite
 Require Adapter EX043 or EX044 or EX042



Datex-Ohmed

OEM P/N	P/N	Description(Connector, Length)
OXY-F4-MC	AF063	GE Datex Ohmeda Adult finger clip sensor , <u>DB9 Male</u> , L=3M
	PF063	GE Datex Ohmeda pediatric finger clip sensor , <u>DB9 Male</u> , L=3M
	AS063	GE Datex Ohmeda Adult silicone soft tip sensor , <u>DB9 Male</u> , L=3M
	PS063	GE Datex Ohmeda Pediatric silicone soft tip sensor <u>DB9 Male</u> , L=3M
OXY-W4-MC	NW063	GE Datex Ohmeda neonate silicone wrap sensor , <u>DB9 Male</u> , L=3M , Non-detachable
OXY-E4-MC	AE063	GE Datex Ohmeda Adult ear clip sensor <u>DB9 Male</u> L=3M
	AT063	GE Datex Ohmeda Animal tongue clip sensor , <u>DB9 Male</u> , L=3M
	NW063-Y	Datex-Ohmeda Multi-site Y cable with separate wrap,DB9 male, Wrap Detachable
	NW063- F	Datex-Ohmeda Adult/ Neonate multi-site spo2 sensor,DB9 male,with FOAM wrap



GE-Marquette

OEM P/N	P/N	Description(Connector, Length)
	AF039	GE-Maquette Adult finger clip sensor , <u>11PIN Male blue flat</u> ,L=3m
	PF039	GE-Maquette Pediatric finger clip sensor , <u>11PIN Male blue flat</u> ,L=3m
	AS039	GE-Maquette Adult silicone soft tip sensor , <u>11PIN Male blue flat</u> ,L=3m
	PS039	GE-Maquette Pediatric silicone soft tip sensor , <u>11PIN Male blue flat</u> ,L=3m
	NW039	GE-Maquette Neonate silicone wrap sensor , <u>11PIN Male blue flat</u> ,L=3m, Non-detachable
	AE039	GE-Maquette Adult ear clip sensor , <u>11PIN Male blue flat</u> ,L=3m
	AT039	GE-Maquette Animal tongue clip sensor , <u>11PIN Male blue flat</u> ,L=3m
	NW039-Y	Datex-Ohmeda Multi-site Y cable with separate wrap <u>11pin flat</u> Wrap Detachable
	NW039- F	Datex-Ohmeda Adult/ Neonate multi-site spo2 ser

Compatibilities : Suitable for **GE Medical Systems** : Dash,Ge Medical System : Solar, eag
 GE Medical System : TRAM 250,(Direct Connect)

Spo2 sensor



GE-Ohmeda

OEM P/N	P/N	Description(Connector, Length)
OXY-F4-GE	oxy-f-un+oxy-es3 AF056	GE Ohmeda Adult finger clip sensor , 11PIN Male blue flat , L=3M
		PF056 GE Ohmeda pediatric finger clip sensor , 11PIN Male blue flat L=3M
		AS056 GE Ohmeda Adult silicone soft tip sensor , 11PIN Male blue flat L=3M
		PS056 GE Ohmeda Pediatric silicone soft tip sensor , 11PIN Male blue flat ,L=3M
OXY-W4-GE	oxy-w-un+oxy-es3 NW056	GE Ohmeda neonate silicone wrap sensor , 11PIN Male blue flat , L=3M, Non-detachable
OXY-E4-GE	oxy-e-un+oxy-es3 AE056	GE Ohmeda Adult ear clip sensor , 11PIN Male blue flat , L=3M
		AT056 GE Ohmeda Animal tongue clip sensor , 11PIN Male blue flat L=3M
		NW056-Y Datex-Ohmeda Multi-site Y cable with separate wrap, 11pin flat, Wrap Detachable
	OXY-W4-GE	NW056-F



OEM P/N	P/N	Description(Connector, Length)
	AF069	GE Ohmeda Adult finger clip sensor , 11PIN Male blue flat , L=3M , with OXIMAX TECH
	PF069	GE Ohmeda pediatric finger clip sensor, 11PIN Male blue flat L=3M, with OXIMAX TECH
	AS069	GE Ohmeda Adult silicone soft tip sensor , 11PIN Male blue flat L=3M, with OXIMAX TECH
	PS069	GE Ohmeda Pediatric silicone soft tip sensor , 11PIN Male blue flat ,L=3M, with OXIMAX TECH
	NW069	GE Ohmeda neonate silicone wrap sensor , 11PIN Male blue flat , L=3M, with OXIMAX TECH
	AE069	GE Ohmeda Adult ear clip sensor , 11PIN Male blue flat , L=3M, with OXIMAX TECH
	AT069	GE Ohmeda Animal tongue clip sensor , 11PIN Male blue flat L=3M, with OXIMAX TECH
	NW069-Y	Datex-Ohmeda Multi-site Y cable with separate wrap, 11pin flat, Wrap Detachable
	NW069- F	Datex-Ohmeda Adult/ Neonate multi-site spo2 sensor, 11pin flat, with FOAM wrap



Compatible with GE Dash 2500 Model

INVIVO

OEM P/N	P/N	Description(Connector, Length)
9383	AF012	INVIVO Adult finger clip sensor, 7 PIN Male Lemo , FGG. 1B, L=3m
	PF012	INVIVO Pediatric finger clip sensor, 7 PIN Male Lemo , FGG. 1B, L=3M
	AS012	INVIVO Adult silicone soft tip sensor, 7 PIN Male Lemo , FGG. 1B, L=3M
	PS012	INVIVO Pediatric silicone soft tip sensor, 7 PIN Male Lemo , FGG. 1B, L=3M
	NW012	INVIVO neonate silicone wrap sensor, 7 PIN Male Lemo , FGG. 1B, L=3M, Non-detachable
	AE012	INVIVO Adult ear clip sensor, 7 PIN Male Lemo , FGG. 1B, L=3m
	AT012	INVIVO Animal tongue clip sensor, 7 PIN Male Lemo
	NW012-Y	Datex-Ohmeda Multi-site Y cable with separate wrap
	NW012- F	Datex-Ohmeda Adult/ Neonate multi-site spo2 ser

Spo2 sensor



Compatibilities :Use with **Invivo** : 4500 Scout, Scout+ /+1/+2/+3/+4 , Scout es , Millennia, 4500 Plus Omega 1445, Omni-Trak TVS, Sat Scout

Direct Connect .

MEK

OEM P/N	P/N	Description(Connector, Length)
	AF013-1	MEK Adult finger clip sensor , DB9 Male , L=1m
	AF013-3	MEK Adult finger clip sensor , DB9 Male , L=3m
	PF013-1	MEK Pediatric finger clip sensor , DB9 Male , L=1m
	PF013-3	MEK Pediatric finger clip sensor , DB9 Male , L=3m
	AS013-1	Mek Adult silicone soft tip sensor , DB9 Male , L=1m
	AS013-3	Mek Adult silicone soft tip sensor , DB9 Male , L=3m
	PS013-1	Mek Pediatric silicone soft tip sensor , DB9 Male , L=1m
	PS013-3	Mek Pediatric silicone soft tip sensor , DB9 Male , L=3m
	NW013-1	MEK Neonate silicone wrap sensor,DB9 Male , L=1m , Non-detachable
	NW013-3	MEK Neonate silicone wrap sensor,DB9 Male , L=3m
	AE013-1	MEK Adult ear clip sensor , DB9 Male , L=1m
	AT013-1	MEK Animal tongue clip sensor , DB9 Male , L=1m
	NW012-Y	Datex-Ohmeda Multi-site Y cable with separate wrap,DB9 Male, Wrap Detachable
	NW012- F	Datex-Ohmeda Adult/ Neonate multi-site spo2 sensor,DB9 Male ,with FOAM wrap



Compatibilities :Use with Mek patient monitor MP-100,MP-110, MP-400,MP-1000 (MEK module)



OEM P/N	P/N	Description(Connector, Length)
	AF076	MEK Adult finger clip sensor, Round 8pin , L=3m
	PF076	MEK Pediatric finger clip sensor, Round 8pin , L=3M
	AS076	MEK Adult silicone soft tip sensor, Round 8pin ,L=3M
	PS076	MEK Pediatric silicone soft tip sensor,Round 8pin ,, L=3M
	NW076	MEK neonate silicone wrap sensor, Round 8pin ,L=3M , Non-detachable
	AE076	MEK Adult ear clip sensor, Round 8pin , L=3m
	AT076	MEK Animal tongue clip sensor,Round 8pin ,, L=3m
	NW076-Y	MEK Multi-site Y cable with separate wrap,Round 8pin ,, Wrap Detachable
	NW076-F	MEK Adult/ Neonate multi-site spo2 sensor,Round 8pin ,,with FOAM wrap



Compatible with MEK MP1000 , Nellcor Module .

Novamatrix

OEM P/N	P/N	Description(Connector, Length)
8660-00	AF023	Novamatrix Adult finger clip sensor , Hypertronics 7PIN Male , L=3M
	PF023	Novamatrix pediatric finger clip sensor ,Hypertronics 7PIN Male , L=3M
	AS023	Novamatrix Adult silicone soft tip sensor ,Hypertronics 7PIN Male , L=3M
	PS023	Novamatrix Pediatric silicone soft tip sensor ,Hypertronics 7PIN Male , L=3M
	NW023	Novamatrix neonate silicone wrap sensor ,Hypertronics 7PIN Male,L=3M , Non-detachable
	AE023	Novamatrix Adult ear clip sensor , Hypertronics 7PIN Male , L=3M
	AT023	Novamatrix Animal tongue clip sensor , Hypertronic:
	NW023-Y	Novamatrix Multi-site Y cable with separate wrap, H
	NW023- F	Novamatrix Adult/ Neonate multi-site spo2 senso

Spo2 sensor



Compatibilities: Suitable for **Novamatrix** 505,510,511,515B/C,520, 7000, 7100, Oxypleth
Spacelab Medical : 90351-D/G, 90465,9.466,90467, 90489,90651-07/0890419-01,90651A-07
(Direct connect)

OEM P/N	P/N	Description(Connector, Length)
9168-00	AF060	Novamatrix Adult finger clip sensor ,DB9M, L=1m
	PF060	Novamatrix pediatric finger clip sensor , DB9M, L=1m
	AS060	Novamatrix Adult silicone soft tip sensor, DB9M , L=1m
	PS060	Novamatrix pediatric silicone soft tip sensor, DB9M , L=1m
	NW060	Novamatrix Neonate silicone wrap sensor, DB9M , L=1m, Non-detachable
	AE060	Novamatrix Adult ear clip sensor, DB9M, L=1m
	AT060	Novamatrix Animal tongue clip sensor , DB9M ,L=1m
	NW060-Y	Novamatrix Multi-site Y cable with separate wrap, DB9M , Wrap Detachable
	NW060- F	Novamatrix Adult/ Neonate multi-site spo2 sensor,DB9M ,with FOAM wrap



Compatibilities : **Compatible with Novamatrix 512 , 513, 710 , 715**

Nellcor

OEM P/N	P/N	Description(Connector, Length)
DS-100A	AF024-1 A	Nellcor Adult finger clip sensor ,DB9 male-7pin,L=1m, Envitec Shell
	AF024-1 B	Nellcor Adult finger clip sensor ,DB9 male-7pin,L=1m, Nellcor Shell
	AF024-2	Nellcor Adult finger clip sensor ,DB9 male -7pin,L=2m
	AF024-3	Nellcor Adult finger clip sensor ,DB9 male -7pin,L=3m
D-YSPD	PF024-1	Nellcor Pediatric finger clip sensor , DB9 male-7pin , L=1m
	PF024-3	Nellcor Pediatric finger clip sensor , DB9 male-7pin , L=1m
HP M1191T	AS024-1	Nellcor Adult silicone soft tip sensor , DB9 male-7pin , L=1m
	AS024-3	Nellcor Adult silicone soft tip sensor , DB9 male-7pin , L=3m
	PS024-1	Nellcor Pediatric silicone soft tip sensor , DB9 male-7pin, L=1m
	PS024-3	Nellcor Pediatric silicone soft tip sensor , DB9 male-7pin, L=3m
D-YS	NW024-1	Nellcor Neonate silicone wrap sensor ,DB9 male-7pin, L=1M. Non-detachable
	NW024-3	Nellcor Neonate Silicone wrap sensor ,DB9 male-7pin, L=3M .
	AE024-1	Nellcor Adult ear clip sensor ,DB9 male-7pin,L=1m
	AE024-3	Nellcor Adult ear clip sensor ,DB9 male-7pin,L=3m
	AT024-1	Nellcor Animal tongue clip sensor ,DB9 male-7pin,L=1m
	NW024-Y	Nellcor Multi-site Y cable with separate wrap, DB9M , Wrap Detachable ,L=1M
	NW024- F	Nellcor Adult/ Neonate multi-site spo2 sensor,DB9M ,with FOAM wrap , L=1M



Spo2 sensor

Compatibilities : Suitable for (**Artema** : Diascope 2, Gamme 8000, **Biosys** BPM200, **Drager** vitalert 1000, Cicero Narkomed, Vitara, PM8014, D8060, narkomed, **Ge-Marquette** dashEagle 3000, 4000, solar, TRAM X50-Modules, **Hellige** Eagle 1000, 2000, 3000 **HP** 78352A/C, 78254A/C, Merlin: 1020A, 1024A, 1025A/B 1205A, 1722A/B, 1732A/B, 2475B, **Invivo Research** 4500 scout, 4500 plus, **Ivy Biomedical** 405A, 405D, **Kontron** Micromon, Supermon, Kolormon, 7840, 7845, **Pach tech** vitalmax, 800series Schiller CM8, **Nellcor** N100, N200, N180, N6000, N190, N20, N3000. Require Adapter cable, **Datascope** : Expert, Passport

Require Adapter EX020 or EX022 or EX021

Nellcor OXIMAX

OEM P/N	P/N	Description(Connector, Length)
	AF024-1-OXI	Nellcor Adult finger clip sensor ,DB9 male -9pin,L=1m , OXIMAX Tech
	AP024-1-OXI	Nellcor Pediatric finger clip sensor , DB9 male-9pin , L=1m, OXIMAX Tech
	AS024-1-OXI	Nellcor Adult silicone soft tip sensor , DB9 male-9pin , L=1m., OXIMAX Tech
	PS024-1-OXI	Nellcor Pediatric silicone soft tip sensor , DB9 male-9pin, L=1m, OXIMAX Tech .
	NW024-1-OXI	Nellcor Neonate silicone wrap sensor ,DB9 male-9pin, L=1M. OXIMAX Tech, Non-detachable
	AE024-1-OXI	Nellcor Adult ear clip sensor ,DB9 male-9pin,L=1m , OXIMAX Tech
	NW024-1-OXI-Y	Nellcor Multi-site Y cable with separate wrap, DB9M , Wrap Detachable ,L=1M
	NW024-OXI-1-F	Nellcor Adult/ Neonate multi-site spo2 sensor,DB9M ,with FOAM wrap , L=1M

Compatibilities : Compatible with **GE-MEDICAL SYSTEM**: DINASMAP, Pro1000;

NELLCOR : N550, N595 . Require Spo2 Adapter Cable EX023 .



OEM P/N	P/N	Description(Connector, Length)
	AF024-3-OXI	Nellcor Adult finger clip sensor ,DB9 male -9pin,L=3m , OXIMAX Tech
	AP024-3-OXI	Nellcor Pediatric finger clip sensor , DB9 male-9pin , L=3m, OXIMAX Tech
	AS024-3-OXI	Nellcor Adult silicone soft tip sensor , DB9 male-9pin , L=3m., OXIMAX Tech
	PS024-3-OXI	Nellcor Pediatric silicone soft tip sensor , DB9 male-9pin, L=3m, OXIMAX Tech .
	NW024-3-OXI	Nellcor Neonate silicone wrap sensor ,DB9 male-9pin, L=3M. OXIMAX Tech ,Non-detachable
	AE024-3-OXI	Nellcor Adult ear clip sensor ,DB9 male-9pin,L=3m , OXIMAX Tech
	NW024-3-OXI-Y	Nellcor Multi-site Y cable with separate wrap, DB9M , Wrap Detachable ,L=1M
	NW024-3-OXI-F	Nellcor Adult/ Neonate multi-site spo2 sensor,DB9M ,with FOAM wrap , L=1M



OEM P/N	P/N	Description(Connector, Length)
	AF024-OXI-GE	GE Adult finger clip sensor ,DB9 male -9pin,L=1m , OXIMAX Tech
	AP024-OXI-GE	GE Pediatric finger clip sensor , DB9 male-9pin , L=1m, OXIMAX Tech
	AS024-OXI-GE	GE Adult silicone soft tip sensor , DB9 male-9pin , L=1m., OXIMAX Tech
	PS024-OXI-GE	GE Pediatric silicone soft tip sensor , DB9 male-9pin, L=1m, OXIMAX Tech .
	NW024-OXI-GE	GE Neonate silicone wrap sensor ,DB9 male-9pin, L=1M. OXIMAX Tech, Non-detachable
	AE024-OXI-GE	GE Adult ear clip sensor ,DB9 male-9pin,L=1m , OXIMAX Tech
	NW024-OXI-GE-W	Nellcor Multi-site Y cable with separate wrap, DB9M , Wrap Detachable ,L=1M
	NW024-3-OXI-F	Nellcor Adult/ Neonate multi-site spo2 sensor,DB9M ,with FOAM wrap , L=1M

Compatible with GE DASH 2500, Nellcor N65 Monitor

With oximax technology



Created with

Spo2 sensor

Nonin

OEM P/N	P/N	Description(Connector, Length)
	AF032-1	Nonin Adult finger clip sensor, DB9 Male , L=1m, Require Adapter
	PF032-1	Nonin Pediatric finger clip sensor, DB9 Male, L=1m, Require Adapter
	AS032-1	Nonin Adult silicone soft tip sensor, DB9 Male, L=1m, Require Adapter
	PS032-1	Nonin Pediatric silicone soft tip sensor, DB9 Male , L=1m, Require Adapter
	NW032-1	Nonin neonate silicone wrap sensor, DB9 Male , L=1m , Require Adapter, Non-detachable
	AE032-1	Nonin Adult ear clip sensor, DB9 Male , L=1m, Require Adapter
	AT032-1	Nonin Animal tongue clip sensor, DB9 Male , L=1m, Require Adapter
	NW032-Y	Nonin Multi-site Y cable with separate wrap, DB9M , Wrap Detachable ,L=1M
	NW032-F	Nonin Adult/ Neonate multi-site spo2 sensor, DB9M ,with FOAM wrap , L=1M



Compatible with Nonin 8500, 8600, 8700, 8800.

OEM P/N	P/N	Description(Connector, Length)
	AF036	Nonin Adult finger clip sensor, 8pin Female , L=3m, Direct connect
	PF036	Nonin Pediatric finger clip sensor, 8pin Female , L=3m, Direct connect
	AS036	Nonin Adult silicone soft tip sensor, 8pin Female , L=3m, Direct connect
	PS036	Nonin Pediatric silicone soft tip sensor, 8pin Female , L=3m, Direct connect
	NW036	Nonin neonate silicone wrap sensor, 8pin Female , L=3m, Direct connect, Non-detachable
	AE036	Nonin Adult ear clip sensor, 8pin Female , L=3m, Direct connect
	AT036	Nonin Animal tongue clip sensor, 8pin Female , L=3m, Direct connect
	NW036-Y	Nonin Multi-site Y cable with separate wrap, 8pin, Wrap Detachable ,L=3M
	NW036-F	Nonin Adult/ Neonate multi-site spo2 sensor, 8pin , with FOAM wrap , L=3M

Compatible with Nonin 8600 Pulse oximeter



OEM P/N	P/N	Description(Connector, Length)
	AF058	Nonin Adult finger clip sensor, Lemo 6pin , L=3m, Direct connect
	PF058	Nonin Pediatric finger clip sensor, Lemo 6pin , L=3m, Direct connect
	AS058	Nonin Adult silicone soft tip sensor, Lemo 6pin , L=3m, Direct connect
	PS058	Nonin Pediatric silicone soft tip sensor, lemo 6pin , L=3m, Direct connect
	NW058	Nonin neonate silicone wrap sensor, lemo 6pin , L=3m, Non-detachable
	AE058	Nonin Adult ear clip sensor, Lemo 6pin , L=3m, Direct connect
	AT058	Nonin Animal tongue clip sensor, Lemo 6pin , L=3m, Direct connect
	NW058-Y	Nonin Multi-site Y cable with separate wrap, Lemo 6pin, Wrap Detachable ,L=3M
	NW058-F	Nonin Adult/ Neonate multi-site spo2 sensor, lemo 6pin, with FOAM wrap , L=3M



Compatible with Nonin 8604D F

Created with

Spo2 sensor

Nihon Kohden

OEM P/N	P/N	Description(Connector, Length)
TL-101S	AF022-3	Nihon Kohden Adult finger clip sensor,10PIN Nicolay ,L=3M
	PF022-3	Nihon Kohden Pediatric finger clip sensor,10PIN Nicolay ,L=3M
	AS022-3	Nihon Kohden Adult silicone soft tip sensor,10PIN Nicolay ,L=3M
	PS022-3	Nihon Kohden Pediatric silicone soft-tip sensor,10PIN Nicolay ,L=3M
	NW022-3	Nihon Kohden neonate wrap sensor,10PIN Nicolay ,L=3M, Non-detachable
	AE022-3	Nihon Kohden Adult ear clip sensor,10PIN Nicolay ,L=3M
	AT022-3	Nihon Kohden Animal tongue clip sensor,10PIN Nicolay ,L=3M
	NW022-3-Y	Nihon Kohden Multi-site Y cable with separate wrap, 10pin, Wrap Detachable ,L=3M
	NW022-3-F	Nihon Kohden Adult/ Neonate multi-site spo2 sensor,10pin,with FOAM wrap



Compatibilities : Use with **Nihon Kohden** :
 AL-800PA,Module,BSM-1101, 2101/2,3101,7100/7200
 OLV-1100A,lifescop , BSM-8200/1 Lifescop 12 ,
 BSM-8301/2 Lifescop 9,SM-8800 Lifescop 14

OEM P/N	P/N	Description(Connector, Length)
TL-201T	AF022-1	Nihon Kohden Adult finger clip sensor,DB9 Male ,L=1M
	AF022-3D	Nihon Kohden Adult finger clip sensor,DB9 Male ,L=3M
	PF022-1	Nihon Kohden Pediatric finger clip sensor,DB9 Male ,L=1M
	PF022-3D	Nihon Kohden Pediatric finger clip sensor,DB9 Male ,L=3M
	AS022-1	Nihon Kohden Adult silicone soft tip sensor,DB9 Male ,L=1M
	AS022-3D	Nihon Kohden Adult silicone soft tip sensor,DB9 Male ,L=3M
	PS022-1	Nihon Kohden Pediatric silicone soft-tip sensor,DB9 Male ,L=1M
	PS022-3D	Nihon Kohden Pediatric silicone soft-tip sensor,DB9 Male ,L=3M
	NW022-1	Nihon Kohden neonate wrap sensor,DB9 Male ,L=1M , Non-detachable
	NW022-3D	Nihon Kohden neonate wrap sensor,DB9 Male ,L=3M , Non-detachable
	AE022-1	Nihon Kohden Adult ear clip sensor,DB9 Male ,L=1M
	AE022-3D	Nihon Kohden Adult ear clip sensor, DB9 Male ,L=3M
	AT022-1	Nihon Kohden Animal tongue clip sensor,DB9 Male ,L=1M
	AT022-3D	Nihon Kohden Animal tongue clip sensor,DB9 Male ,L=3M
	NW022-1-Y	Nihon Kohden Multi-site Y cable with separate wrap,DB9, Wrap Detachable ,L=3M
	NW022-1-F	Nihon Kohden Adult/ Neonate multi-site spo2 sensor,DB9 Male,with FOAM wrap

Compatibilities : Use with **Nihon Kohden** :BSM-2300 Lifescop; BSM-4100 Lifescop ;
 BSM-5100 Lifescop ;BSM-9510 Lifescop , BSM-9800 Lifescop
 Require Spo2 Adapter cable EX041



Nihon Kohden

OEM P/N	P/N	Description(Connector, Length)
TL-201T+	AF052	Nihon Kohden Adult finger clip sensor,14pin ,L=3M
K931 JL-900P	PF052	Nihon Kohden Pediatric finger clip sensor,14pin ,L=3M
	AS052	Nihon Kohden Adult silicone soft tip sensor,14pin ,L=3M
	PS052	Nihon Kohden Pediatric silicone soft-tip sensor,14pin ,L=3M
	NW052	Nihon Kohden neonate wrap sensor,14pin ,L=3M, Non-detachable
	AE052	Nihon Kohden Adult ear clip sensor,14pin ,L=3M
	AT052	Nihon Kohden Animal tongue clip sensor,14pin ,L=
	NW052-Y	Nihon Kohden Multi-site Y cable with separate wrap

Spo2 sensor

	NW052-F	Nihon Kohden Adult/ Neonate multi-site spo2 sensor,14pin,with FOAM wrap
--	---------	--------------------------------------------------------------------------------

Compatibilities : Use with **Nihon Kohden** :BSM-2300 Lifescope i/L; BSM-4100 Lifescope P;
 BSM-5100 Lifescope A ;BSM-9510 Lifescope M , BSM-9800 Lifescope s
 OPV-1500 Lifescope N, WEP-4200, WEP-8400 , DDG-2001
 Direct Connect



Philips /HP

OEM P/N	P/N	Description(Connector, Length)
	AF025	HP Adult finger clip sensor , 12PIN Male Merlin ,L=3M
	PF025	HP Pediatric finger clip sensor , 12PIN Male Merlin ,L=3M
M1190A	AS025	HP Adult silicone soft tip sensor , 12PIN Male Merlin ,L=3m
	PS025	HP Pediatric silicone soft tip sensor , 12PIN Male Merlin ,L=3M
	NW025	HP Neonate Wrap spo2 sensor , 12pin male Merlin ,L=3M , Non-detachable
	AE025	HP Adult ear clip sensor , 12PIN Male Merlin ,L=3M
	AT025	HP Animal tongue clip sensor , 12PIN Male Merlin ,L=3M
	NW025-Y	HP Multi-site Y cable with separate wrap,12 pin, Wrap Detachable ,L=3M
	NW025-F	HP Adult/ Neonate multi-site spo2 sensor,12pin,with FOAM wrap

Compatibilities: Suitable for Philips 78352A/C,78354A/C,78834C

Merlin:1020A,1024A,1025A/B,1205A,1350B,1722A/B,1732A/B,2475B

Mirable system,Viridia A1/A3 (**Direct Connect**)



OEM P/N	P/N	Description(Connector, Length)
	AF026	HP Adult finger clip sensor , 8pin male HP Viridia , L=1.5m
	AF026-3	HP Adult finger clip sensor , 8pin male HP Viridia , L=3M
	PF026	HP Pediatric finger clip sensor , 8pin male HP Viridia , L=1.5m
	PF026-3	HP Pediatric finger clip sensor , 8pin male HP Viridia , L=3m
M1191A	AS026	HP M1191A Adult silicone soft tip sensor , 8PIN Male HP Viridia,L=1.5M
	AS026-3	HP M1191A Adult silicone soft tip sensor , 8PIN Male HP Viridia,L=3m
M1192A	PS026	HP M1192A Pediatric silicone soft tip sensor , 8PIN Male HP Viridia,L=1.5M
M1192A	PS026-3	HP M1192A Pediatric silicone soft tip sensor , 8PIN Male HP Viridia,L=1.5M
M1193A	NW026-1.5	HP M1193A silicone wrap sensor,8PIN Male HP Viridia,L=1.5M . Non-detachable
	NW026-3	HPM1193A/M1940B silicone wrap sensor ,8PIN Male HP Viridia,L=3M , Non-detachable
	AE026	HP M1191A Adult ear soft tip sensor , 8PIN Male HP
	AE026-3	HP M1191A Adult ear soft tip sensor , 8PIN Male HP
	AT026	HP M1191A Animal tongue soft tip sensor , 8PIN M
	NW026-Y	Philips Multi-site Y cable with separate wrap, 8pin,W

Spo2 sensor

NW026-F	Philips Adult/ Neonate multi-site spo2 sensor,8pin,with FOAM wrap
---------	--------------------------------------------------------------------------

Compatibilities: Use with **HP** Viridia ,M3, M4, M2601A

M3000A, M3500B, M4735A (**Direct connect or require adapter EX025, EX026**)

C1-C3, M3-M4, Viridia , MP20,MP30, MP40, PM50, MP60

MP70, MP90, VM4, VM6, VM8 .



Palco

OEM P/N	P/N	Description(Connector, Length)
	AF027-3	PALCO Adult finger clip sensor, RJ12-6P6C, L=3M ,
	PF027-3	PALCO Pediatric finger clip sensor, RJ12-6P6C, L=3M ,
	AS027-3	PALCO Adult silicone soft tip sensor, RJ12-6P6C, L=3M ,
	PS027-3	PALCO Pediatric silicone soft tip sensor, RJ12-6P6C, L=3M ,
	NW027-3	PALCO Neonate silicone wrap sensor, RJ12-6P6C, L=3M , Non-detachable
	AE027-3	PALCO Adult ear clip sensor, RJ12-6P6C, L=3M ,
	AT027-3	PALCO Animal tongue clip sensor, RJ12-6P6C, L=3M ,
	NW027-Y	PALCO Multi-site Y cable with separate wrap,RJ12-6P6C,Wrap Detachable ,L=3M
	NW027-F	PALCO Adult/ Neonate multi-site spo2 sensor,RJ12-6P6C,with FOAM wrap

Compatibilities Suitable for Palco Monitor (Direct Connect)



S&W artema

OEM P/N	P/N	Description(Connector, Length)
SL033057	AF029	S&W Adult finger clip sensor,10PIN Female Nicolay ,L=3M
	PF029	S&W pediatric finger clip sensor,10PIN Female Nicolay ,L=3M
	AS029	S&W Adult silicone soft tip sensor,10PIN Female Nicolay ,L=3M
	PS029	S&W pediatric silicone soft tip sensor,10PIN Female Nicolay ,L=3M
	NW029	S&W neonate silicone sensor,10PIN Female Nicolay ,L=3M, Non-detachable
	AE029	S&W Adult ear clip sensor,10PIN Female Nicolay ,L=3M
	AT029	S&W Animal tongue clip sensor,10PIN Female Nicolay ,L=3M
	NW029-Y	PALCO Multi-site Y cable with separate wrap,RJ12-6P6C,Wrap Detachable ,L=3M
	NW029-F	PALCO Adult/ Neonate multi-site spo2 sensor,RJ12-6P6C,with FOAM wrap

Compatibilities:Suitable for S&W artema (diascope G2)Patient monitor (Direct Connect)



OEM P/N	P/N	Description(Connector, Length)
	AF073	S&W Adult finger clip sensor,Round 12pin male ,L=:
	PF073	S&W pediatric finger clip sensor,Round 12pin male ,
	AS073	S&W Adult silicone soft tip sensor,Round 12pin male

Created with

Spo2 sensor

	PS073	S&W pediatric silicone soft tip sensor, Round 12pin male ,L=3M
	NW073	S&W neonate silicone sensor, Round 12pin male ,L=3M , Non-detachable
	AE073	S&W Adult ear clip sensor, Round 12pin male ,L=3M
	AT073	S&W Animal tongue clip sensor, Round 12pin male ,L=3M
	NW073-Y	S&W Multi-site Y cable with separate wrap, Round 12pin ,Wrap Detachable ,L=3M
	NW073-F	S&W Adult/ Neonate multi-site spo2 sensor, Round 12pin, with FOAM wrap



Compatible with Artema MM200 , MM214



Pace Tech

OEM P/N	P/N	Description(Connector, Length)
	AF028	Pace tech Adult finger clip sensor, 5 pin Switchcraft Female, L=3M
	PF028	Pace tech Pediatric finger clip sensor, 5 pin Switchcraft Female ,L=3M
	AS028	Pace tech Adult soft tip finger clip sensor, 5 pin Switchcraft Female ,L=3M
	PS028	Pace tech Pediatric silicone soft tip sensor, 5 pin Switchcraft Female, L=3M
	NW028	Pace tech Neonate silicone wrap sensor, 5 pin Switchcraft Female , L=3M , Non-detachable
	AE028	Pace tech Adult ear clip sensor, 5 pin Switchcraft Female, L=3M
	AT028	Pace tech Animal tongue clip sensor, 5 pin Switchcraft Female, L=3M
	NW028-Y	Pace tech Multi-site Y cable with separate wrap, 5pin female ,Wrap Detachable ,L=3M
	NW028-F	Pace tech Adult/ Neonate multi-site spo2 sensor, Round 12pin, with FOAM wrap

Compatibility: Suitable for Pace Tech



Mindray

OEM P/N	P/N	Description(Connector, Length)
	AF016	Mindray PM 9000-M.S Adult finger clip sensor, 6PIN redel male(Dual) ,L=3m .



Compatible with **PM-7000, PM-8000, PM-9000, MEC-1000, PM-9000Express, PM-600, new PM-6000, VS-800, (Before October ,2005)**

With M.S Technology

OEM P/N	P/N	Description(Connector, Length)
	AF017	Mindray adult finger clip spo2 sensor , 5pin redel, single bit .



Compatible with **Mindray** PM9000, **Goldway** UT4000
Pace Tech ,**Biolight** ,**Anke** ,**ChoiceMed** .
ZhongHengsheng ; **KD580**; **Jerry-med** : **PM2000**
ShenMai : **KP-900** ,

OEM P/N	P/N	Description(Connector, Length)
	AF018	Mindray PM9000 Adult finger clip sensor, 6PIN REDEL Male(dual, 40 degree) , L=3M.
	PF018	Mindray PM9000 Pediatric finger clip sensor, 6PIN REDEL Male(dual, 40 degree), L=3M.
	AS018	Mindray PM9000 Adult silicone soft tip sensor, 6PIN REDEL Male(dual, 40 degree), L=3M.
	PS018	Mindray PM9000 Pediatric silicone soft tip sensor, 6PIN
	NW018	Mindray PM9000/Creative silicon wrap sensor, 6PIN F
	AE018	Mindray PM9000 Adult Ear clip sensor, 6PIN REDEL

Spo2 sensor

	AT018	Mindray PM9000 Animal Tongue clip sensor,6PIN REDEL Male(dual ,40 degree), L=3M.
	NW018-Y	Mindray Multi-site Y cable with separate wrap, 5pin female ,Wrap Detachable ,L=3M
	NW018-F	Mindray Adult/ Neonate multi-site spo2 sensor, Round 12pin, with FOAM wrap



PM-7000, PM-8000, PM-9000, MEC-1000, PM-9000Express, PM-600, new PM-6000, VS-800, (Before October ,2005)
Also compatible with Creative PC9000
With Nellcor Technology .

OEM P/N	P/N	Description(Connector, Length)
	AF018 -M	Mindray Adult finger clip sensor,6PIN REDEL Male(dual, 60 degree), L=3M.



PM-7000, PM-8000, PM-9000, MEC-1000, PM-9000Express, PM-600, new PM-6000, VS-800, (After October ,2005)
With M.S Technology


OEM P/N	P/N	Description(Connector, Length)
	AF077	Mindray Beneview T5/T6/T8 Adult finger clip sensor, Round 7pin , L=3M.
	PF077	Mindray Beneview T5/T6/T8 Pediatric finger clip sensor, Round 7pin, L=3M.
	AS077	Mindray Beneview T5/T6/T8 Adult silicone soft tip sensor, Round 7pin, L=3M.
	PS077	Mindray Beneview T5/T6/T8 Pediatric silicone soft tip sensor, Round 7pin, L=3M.
	NW077	Mindray Beneview T5/T6/T8 silicon wrap sensor, Round 7pin, L=3M. Non-detachable
	AE077	Mindray Beneview T5/T6/T8 Adult Ear clip sensor, Round 7pin, L=3M.
	AT077	Mindray Beneview T5/T6/T8 Animal Tongue clip sensor, Round 7pin, L=3M.
	NW077-Y	Mindray Beneview Multi-site Y cable with separate wrap, Round 7pin ,Wrap Detachable
	NW077-F	Mindray T5/T6/T8 Adult/ Neonate multi-site spo2 sensor, Round 7pin, FOAM wrap



Be Compatible with Mindray Beneview T5/T6/T8
With Nellcor Technology



OEM P/N	P/N	Description(Connector, Length)
	AF019	Mindray PM8000 Adult finger clip sensor,6PIN REDEL Male(dual), L=3M.



Suitable for **Mindray** PM8000 monitor
Also Compatible with Edan (Shenzhen)

OEM P/N	P/N	Description(Connector, Length)
	AF020	Mindray PM9000/509B,500A Adult finger clip sensor ,Lemo Male 5PIN, L=3M.



Suitable for **Mindray** PM9000/509B/500A monitor
(Direct Connect)

OEM P/N	P/N	Description(Connector, Length)
	AF042	Mindray PM5000/6000 Adult finger clip sensor, 12pin round, L=3M.
	PF042	Mindray PM5000/6000 Pediatric finger clip sensor, 12pin round, L=3M.
	AS042	Mindray PM5000/6000 Adult silicone soft tip sensor, 1
	PS042	Mindray PM5000/6000 Pediatric silicone soft tip sens
	NW042	Mindray PM5000/6000silicon wrap sensor, 12pin roun

Spo2 sensor

	AE042	MindrayPM5000/6000 Adult Ear clip sensor,12pin round, L=3M.
	AT042	Mindray PM5000/6000 Animal Tongue clip sensor,12pin round, L=3M.
	NW042-Y	Mindray Multi-site Y cable with separate wrap, 12pin ,Wrap Detachable ,L=3M
	NW042-F	Mindray Adult/ Neonate multi-site spo2 sensor, 12pin,with FOAM wrap

With Nellcor Technology



OEM P/N	P/N	Description(Connector, Length)
	AF042-M	Mindray PM5000/6000 Adult finger clip sensor,12pin round, L=3M.

With M.S Technology



TianRong

OEM P/N	P/N	Description(Connector, Length)
	AF071	TianRong Adult finger clip sensor,12pin round, L=3M.
	PF071	TianRong Pediatric finger clip sensor,12pin round, L=3M.
	AS071	TianRong Adult silicone soft tip sensor,12pin round, L=3M.
	PS071	TianRong Pediatric silicone soft tip sensor,12pin round, L=3M.
	NW071	TianRong silicon wrap sensor,12pin round, L=3M. Non-detachable
	AE071	TianRong Adult Ear clip sensor,12pin round, L=3M.
	AT071	TianRong Animal Tongue clip sensor,12pin round, L=3M.
	NW071-Y	TianRong Multi-site Y cable with separate wrap, 12pin ,Wrap Detachable ,L=3M
	NW071-F	Mindray Adult/ Neonate multi-site spo2 sensor, 12pin,with FOAM wrap



Spacelab :

OEM P/N	P/N	Description(Connector, Length)
015-0130-00+	AF030	Spacelab Adult finger clip sensor,7pin male Hypertronics , L=3m
275-0646-00	PF030	Spacelab pediatric finger clip sensor,7pin male Hypertronics , L=3m
	AS030	Spacelab Adult silicone soft tip sensor,7pin male Hypertronics , L=3m
	PS030	Spacelab pediatric silicone soft tip sensor,7pin male Hypertronics , L=3m
	NW030	Spacelab neonate silicone wrap sensor,7pin male Hypertronics , L=3m . Non-detachable
	AE030	Spacelab Adult ear clip sensor,7pin male Hypertronics , L=3m
	AT030	Spacelab Animal tongue clip sensor,7pin male Hypertronics , L=3m
	NW030-Y	Spacelab Multi-site Y cable with separate wrap, 7pin , Wrap Detachable ,L=3M
	NW030-F	Spacelab Adult/ Neonate multi-site spo2 sensor, 7pin,with FOAM wrap



Compatibilities: Suitable for **Spacelab** :90419-01, 90651A-07,90351-D/Gm; 90465,90466,90467,90489, 90501 (**Direct connect**)

New Spacelab

OEM P/N	P/N	Description(Connector, Length)
700-0030-00	AF031	Spacelab Adult finger clip sensor, 10pin Male Rectangular female ,L=3m
+DS-100A	PF031	Spacelab pediatric finger clip sensor, 10pin Male Rectangular female ,L=3m
	AS031	Spacelab Adult silicone soft tip sensor,10pin Male Re
	PS031	Spacelab pediatric silicone soft tip sensor,10pin Male
	NW031	Spacelab neonate silicone wrap sensor,10pin Male R

Spo2 sensor

	AE031	Spacelab Adult ear clip sensor, 10pin Male Rectangular female ,L=3m
	AT031	Spacelab Animal tongue clip sensor, 10pin Male Rectangular female ,L=3m
	NW031-Y	Spacelab Multi-site Y cable with separate wrap,Reg 10pin , Wrap Detachable ,L=3M
	NW031-F	Spacelab Adult/ Neonate multi-site spo2 sensor,Reg.10pin,with FOAM wrap



Compatibilitie Suitable for **Spacelab** :New modules 90651-08, 90496, Ultraview (Direct Connect)

Siemens

OEM P/N	P/N	Description(Connector, Length)
	AF040	Siemens Adult finger clip sensor,Siemens 10 pin , L=3m
	PF040	Siemens pediatric finger clip sensor,Siemens 10 pin , L=3m
	AS040	Siemens Adult silicone soft tip sensor,Siemens 10 pin , L=3m
	PS040	Siemens pediatric silicone soft tip sensor,Siemens 10 pin , L=3m
	NW040	Siemens Neonate silicone wrap sensor,Siemens 10 pin , L=3m, Non-detachable
	AE040	Siemens Adult ear clip sensor,Siemens 10 pin , L=3m
	AT040	Siemens Animal tongue clip sensor,Siemens 10 pin , L=3m
	NW040-Y	Siemens Multi-site Y cable with separate wrap, 10pin , Wrap Detachable ,L=3M
	NW040-F	Siemens Adult/ Neonate multi-site spo2 sensor,10pin,with FOAM wrap,L=3m



Compatibilities :Suitable for **Siemens Medical**: Sirecust 700, Siemens Medical: Siresust 630
Siemens Medical: Sirem Spo2 Module

Siemens

OEM P/N	P/N	Description(Connector, Length)
3375834+DS100	AF059	Siemens Adult finger clip sensor,Siemens 7 pin , L=3m, Direct connect.
	PF059	Siemens pediatric finger clip sensor,Siemens 7pin , L=3m, Direct Connect
	AS059	Siemens Adult silicone soft tip sensor,Siemens 7 pin , L=3m , Direct Connect
	PS059	Siemens pediatric silicone soft tip sensor,Siemens 7 pin , L=3m, Direct Connect
	NW059	Siemens Neonate silicone wrap sensor,Siemens 7 pin , L=3m . Non-detachable
	AE059	Siemens Adult ear clip sensor,Siemens 7 pin , L=3m ,Direct Connect
	AT059	Siemens Animal tongue clip sensor,Siemens 7 pin , L=3m,Direct Connect
	NW059-Y	Siemens Multi-site Y cable with separate wrap, Siemens 7pin , Wrap Detachable ,L=3M
	NW059-F	Siemens Adult/ Neonate multi-site spo2 sensor,Siemens 7pin,L=3m, FOAM wrap .



Compatibilities :Suitable for **Siemens Medical**: **SC 6002XL, SC7000, SC8000, SC9000XL**


Dolphin

OEM P/N	P/N	Description(Connector, Length)
210	AF041	Dolphin Adult finger clip sensor,DB9M, L=0.6M
	PF041	Dolphin pediatric finger clip sensor,DB9M , L=0.6M
	AS041	Dolphin Adult silicone soft tip sensor,DB9M , L=0.6M
	PS041	Dolphin pediatric silicone soft tip sensor,DB9M , L=0.6M
360	NW041	Dolphin Neonate silicone wrap sensor,DB9M , L=0.6M
	AE041	Dolphin Adult ear clip sensor,DB9M, L=0.6M

Spo2 sensor

	AT041	Dolphin Animal tongue clip sensor,DB9M, L=0.6M
	NW041-Y	Dolphin Multi-site Y cable with separate wrap, DB9M , Wrap Detachable ,L=0.6m
	NW041-F	Dolphin Adult/ Neonate multi-site spo2 sensor, DB9M ,L=0.6M,Foam Wrap

Compatible with Dolphin Pulse oximeter 2150, 2100



LOHMEIER

OEM P/N	P/N	Description(Connector, Length)
	AF048	LOHMEIER Adult finger clip sensor , 10pin , L=1m
	PF048	LOHMEIER pediatric finger clip sensor,10pin , L=1m
	AS048	LOHMEIER Adult silicone soft tip sensor,10pin , L=1m
	PS048	LOHMEIER pediatric silicone soft tip sensor,10pin , L=1m
	NW048	LOHMEIER Neonate silicone wrap sensor,10pin ,L=1m. Non-detachable
	AE048	LOHMEIER Adult ear clip sensor,DB9M,10pin , L=1m
	AT048	LOHMEIER Animal tongue clip sensor,10pin , L=1m
	NW048-Y	LOHMEIER Multi-site Y cable with separate wrap, 10pin, Wrap Detachable ,L=1m
	NW048-F	LOHMEIER Adult/ Neonate multi-site spo2 sensor, 10pin ,L=1m,Foam Wrap



Compatible with LOHMEIER M010 .

Simed /Baxter

OEM P/N	P/N	Description(Connector, Length)
	AF049	Simed Adult finger clip sensor , Hyperstronic 7pin , L=3m
	PF049	Simed pediatric finger clip sensor, Hyperstronic 7pin , L=3m
	AS049	Simed Adult silicone soft tip sensor, Hyperstronic 7pin , L=3m
	PS049	Simed pediatric silicone soft tip sensor, Hyperstronic 7pin , L=3m
	NW049	Simed Neonate silicone wrap sensor, Hyperstronic 7pin , L=3m, Non-detachable
	AE049	Simed Adult ear clip sensor, Hyperstronic 7pin, L=3m
	AT049	Simed Animal tongue clip sensor, Hyperstronic 7pin , L=3m
	NW049-Y	Simed Multi-site Y cable with separate wrap, Hyperstronic 7pin Wrap Detachable ,L=3m
	NW049-F	Simed Adult/ Neonate multi-site spo2 sensor,Hyperstronic 7pin,L=1m, Foam Wrap



Be Compatible with **Simed** S100, S50, S100E

Corometrics

OEM P/N	P/N	Description(Connector, Length)
	AF050	Corometrics Adult finger clip sensor , Hyperstronic 9pin , L=3m
	PF050	Corometrics pediatric finger clip sensor, Hyperstronic 9pin , L=3m
	AS050	Corometrics Adult silicone soft tip sensor, Hyperstr
	PS050	Corometrics pediatric silicone soft tip sensor, Hyp
	NW050	Corometrics Neonate silicone wrap sensor, Hyper:

Spo2 sensor

	AE050	Corometrics Adult ear clip sensor, Hyperstronic 9pin, L=3m
	AT050	Corometrics Animal tongue clip sensor, Hyperstronic 9pin, L=3m
	NW050-Y	Corometrics Multi-site Y cable with separate wrap, 9pin Wrap Detachable , L=3m
	NW050-F	Corometrics Adult/ Neonate multi-site spo2 sensor, 9pin, L=3m, Foam Wrap



Compatible with **Corometrics** 118, 129

Kontron

OEM P/N	P/N	Description(Connector, Length)
	AF053	Kontron Adult finger clip sensor, Round 6pin, L=3m
	PF053	Kontron pediatric finger clip sensor, Round 6pin, L=3m
	AS053	Kontron Adult silicone soft tip sensor, Round 6pin, L=3m
	PS053	Kontron pediatric silicone soft tip sensor, Round 6pin, L=3m
	NW053	Kontron Neonate silicone wrap sensor, Round 6pin, L=3m. Non-detachable
	AE053	Kontron Adult ear clip sensor, Round 6pin, L=3m
	AT053	Kontron Animal tongue clip sensor, Round 6pin, L=3m
	NW053-Y	Kontron Multi-site Y cable with separate wrap, Round 6pin, Wrap Detachable , L=3m
	NW053-F	Kontron Adult/ Neonate multi-site spo2 sensor, Round 6pin, L=3m, Foam Wrap

Compatibilities Use with Kontron Micromon, Minimon, Supermon, Kolormon, 7840, 7845, 7137



Nellcor/Colin (Direct Connect)

OEM P/N	P/N	Description(Connector, Length)
	AF054	Nellcor/Colin Adult finger clip sensor, 3M 14pin, L=3m
	PF054	Nellcor/Colin pediatric finger clip sensor, 3M 14pin, L=3m
	AS054	Nellcor/Colin Adult silicone soft tip sensor, 3M 14pin, L=3m
	PS054	Nellcor/Colin pediatric silicone soft tip sensor, 3M 14pin, L=3m
	NW054	Nellcor/Colin Neonate silicone wrap sensor, 3M 14pin, L=3m. Non-detachable
	AE054	Nellcor/Colin Adult ear clip sensor, 3M 14pin, L=3m
	AT054	Nellcor/Colin Animal tongue clip sensor, 3M 14pin, L=3m
	NW054-Y	Nellcor/Colin Multi-site Y cable with separate wrap, 3M 14pin, Wrap Detachable , L=3m
	NW054-F	Nellcor/Colin Adult/ Neonate multi-site spo2 sensor, 3M 14pin, L=1m, Foam Wrap

Compatibilities : Suitable for **Datascope** : Accutorr Plus,

Nellcor : NPB-290/5, N-390, N-395, N-3000, N-6000, NPB-290-5, Colin BP88/306



Goldway

OEM P/N	P/N	Description(Connector, Length)
	AF055	Goldway Adult finger clip sensor, Lemo 5PIN , L=3m
	PF055	Goldway pediatric finger clip sensor, Lemo 5PIN , L=
	AS055	Goldway Adult silicone soft tip sensor, Lemo 5PIN , L=
	PS055	Goldway pediatric silicone soft tip sensor, Lemo 5PIN , L=

Created with

Spo2 sensor

	NW055	Goldway Neonate silicone wrap sensor, <u>Lemo 5pin</u> , L=3m . Non-detachable
	AE055	Goldway Adult ear clip sensor, <u>Lemo 5pin</u> , L=3m
	AT055	Goldway Animal tongue clip sensor, <u>Lemo 5PIN</u> , L=3m
	NW055-Y	Goldway Multi-site Y cable with separate wrap, Lemo 5pin , Wrap Detachable ,L=3m
	NW055-F	Goldway Neonate multi-site spo2 sensor , Lemo 5pin, L=3m, Foam Wrap



AF055 is compatible for **Goldway**: UT4000F
Direct Connect

AF017 (Mindray Compatible) ALSO COULD BE USE FOR GOLDWAY UT4000A

Schiller

OEM P/N	P/N	Description(Connector, Length)
	AF064	Schiller Adult finger clip sensor, <u>7PIN MALE DIN</u> ,L=3M
	PF064	Schiller pediatric finger clip sensor, <u>7PIN MALE DIN</u> ,L=3M
	AS064	Schiller Adult silicone soft tip sensor, <u>7PIN MALE DIN</u> ,L=3M
	PS064	Schiller pediatric silicone soft tip sensor, <u>7PIN MALE DIN</u> ,L=3M
	NW064	Schiller Neonate silicone wrap sensor, <u>7PIN MALE DIN</u> ,L=3M . Non-detachable
	AE064	Schiller Adult ear clip sensor, <u>7PIN MALE DIN</u> ,L=3M
	AT064	Schiller Animal tongue clip sensor, <u>7PIN MALE DIN</u> ,L=3M
	NW064-Y	Schiller Multi-site Y cable with separate wrap, 7pin DIN , Wrap Detachable ,L=3m
	NW064-F	Schiller Neonate multi-site spo2 sensor , 7pin Din ,L=3m, Foam Wrap



Compatible with Schiller Argus Pro . Argus LCM (With M.S Technology)

M&B Electronic Instruments

(北京麦邦)

OEM P/N	P/N	Description(Connector, Length)
	AF066	M&B Adult finger clip sensor, <u>Hypetronics 9PIN Male</u> ,L=3m



Compatible with M&B : CD2000 , MB526T

Comen


OEM P/N	P/N	Description(Connector, Length)
	AF065	COMEN Adult finger clip sensor, <u>6PIN redel male(Dual)</u> ,L=3m .



Use with Comen Star-1000 ,LANKE: LK-8600A , Sichuang : Prophet21


FMT

OEM P/N	P/N	Description(Connector, Length)
	AF068	FMT Adult finger clip sensor, <u>6PIN REDEL Male(dual)</u> , L=3M.
	PF068	FMT Pediatric finger clip sensor, <u>6PIN REDEL Male(dual)</u> , L=3M.
	AS068	FMT Adult silicone soft tip sensor, <u>6PIN REDEL Male(dual)</u> , L=3M.
	PS068	FMT Pediatric silicone soft tip sensor, <u>6PIN REDEL Male(dual)</u> , L=3M.
	NW068	FMT silicon wrap sensor, <u>6PIN REDEL Male(dual)</u> , L=3M. Non-detachable
	AE068	FMT Adult Ear clip sensor, <u>6PIN REDEL Male(dual)</u> , L=3M.
	AT068	FMT Animal Tongue clip sensor, <u>6PIN REDEL Male(dual)</u> , L=3M.
	NW068-Y	FMT Multi-site Y cable with separate wrap, Redel 6p
	NW068-F	FMT Neonate multi-site spo2 sensor , Redel 6pin ,



Created with

Spo2 sensor



Bruker

OEM P/N	P/N	Description(Connector, Length)
	AF003	Bruker Adult finger clip sensor , Round 12 pin ,L=3M
	PF003	Bruker pediatric finger clip sensor , Round 12 pin ,L=3M
	AS003	Bruker Adult silicone soft tip sensor , Round 12pin ,L=3M
	PS003	Bruker pediatric silicone soft tip sensor , Round 12pin ,L=3M
	NW003	Bruker neonate silicone wrap sensor , Round 12pin ,L=3M. Non-detachable
	AE003	Bruker Adult ear clip sensor , Round 12pin ,L=3M
	AT003	Bruker Animal tongue clip sensor , Round 12pin ,L=3M
	NW003-Y	Bruker Multi-site Y cable with separate wrap, Round 12pin , Wrap Detachable ,L=3m
	NW003-F	Bruker Neonate multi-site spo2 sensor, Round 12pin ,L=3m, Foam Wrap



Compatibilities : Compatible with Bruker (Odam):
 Defigard 1001 / 1002 / 2000 / 2002 / 2005 MR
 / 3002 / 5000 / 6002, FRED professional .
 Physiogard SM 780 / SM 784 / SM 785 / SM 7860 / SM 1978 / TM 910

Mennen

OEM P/N	P/N	Description(Connector, Length)
	AF062	Mennen Adult finger clip sensor , Round 13 pin ,L=3M
	PF062	Mennen pediatric finger clip sensor , Round 13pin ,L=3M
	AS062	Mennen Adult silicone soft tip sensor , Round 13pin ,L=3M
	AS062	Mennen pediatric silicone soft tip sensor , Round 13pin ,L=3M
	NW062	Mennen neonate silicone wrap sensor , Round 13pin ,L=3M. Wrap Non-detachable
	AE062	Mennen Adult ear clip sensor , Round 12pin ,L=3M
	AT062	Mennen Animal tongue clip sensor , Round 13pin ,L=3M
	NW062-Y	Mennen Multi-site Y cable with separate wrap, Round 13pin , Wrap Detachable ,L=3m
	NW062-F	Mennen Neonate multi-site spo2 sensor, Round 13pin ,L=3m, Foam Wrap




Compatible with Mennen Monitor Envoy
VITALOGIK 5000/ 5500 Model



MediByte

OEM P/N	P/N	Description(Connector, Length)
8896	AF070-1.5	MediByte Adult finger clip sensor , Lemo FGA.OB.306 6pin ,L=1.5M
	AS070-1.5	MediByte Adult silicone soft tip sensor , Lemo FGA.OB.306 6pin ,L=3M

Use with MediByte MP8



Bionet

OEM P/N	P/N	Description(Connector, Length)
	AF079	Bionet Adult finger clip spo2 sensor , Round 6pin ,L=3 M



Be compatible with Bi



Spo2 sensor



M. S

OEM P/N	P/N	Description(Connector, Length)
LNCS DC-I	AF072	Adult finger clip sensor , DB9 ,L=1M
LNCS DC-IP	PF072	pediatric finger clip sensor ,DB9 ,L=1M
	AS072	Adult silicone soft tip sensor ,DB9 ,L=1M
	PS072	pediatric silicone soft tip sensor ,DB9 ,L=1M
	NW072	neonate silicone wrap sensor , DB9 ,L=1M . Non-detachable
	AE072	Adult ear clip sensor , DB9 ,L=1M
	AT072	Animal tongue clip sensor ,DB9 ,L=1M
	NW072-Y	Multi-site Y cable with separate wrap,DB9 8pin, Wrap Detachable ,L=1m
	NW072-F	Neonate multi-site spo2 sensor,DB9 8pin ,L=1m, Foam Wrap



OEM part No. : LNCS DC-I

Connect with extension cable LNC-04, LNC-10, LNC-14


0515-30-11221 use with Mindray Old PM6000

0010-30-42625 use with Mindray PM9000

LNC-10-GE (2027263-002) use with GE medical

PM-6000series, PM-7000, PM-8000series, PM-9000series

VS-800, BeneView



Neusoft

OEM P/N	P/N	Description(Connector, Length)
	AF075	Neusoft Adult finger clip sensor, Redel 6pin (single), L=3M.
	PF075	Neusoft Pediatric finger clip sensor,Redel 6pin (single), L=3M.
	AS075	Neusoft Adult silicone soft tip sensor,Redel 6pin (single), L=3M.
	PS075	Neusoft Pediatric silicone soft tip sensor,Redel 6pin (single), L=3M.
	NW075	Neusoft silicon wrap sensor,Redel 6pin (single), L=3M. Non-detachable
	AE075	Neusoft Adult Ear clip sensor,Redel 6pin (single), L=3M.
	AT075	Neusoft Animal Tongue clip sensor,Redel 6pin (single), L=3M.
	NW003-Y	Bruker Multi-site Y cable with separate wrap,Round 12pin, Wrap Detachable ,L=3m
	NW003-F	Bruker Neonate multi-site spo2 sensor,Round 12pin ,L=3m, Foam Wrap



Newtech

OEM P/N	P/N	Description(Connector, Length)
	AF080	Newtech Adult finger clip spo2 sesor, 8pin, L=3M
	AS080	Newtech Adult soft tip spo2 sensor ,8pin , L=3M



Use with Newtech NT2A



General Meditech

OEM P/N	P/N	Description(Connector, Length)
	AF081	Geneal Meditech Adult finger clip spo2 sesor, DB9 male, L=1M Digital Technology
	AS081	General Meditech Adult soft tip spo2 sensor ,DB9 male , L=1M,Digital Technology



With digital Technology

Be compatible with General Meditech G1A



Spo2 sensor



KEMP

OEM P/N	P/N	Description(Connector, Length)
	AF082	KEMP Adult finger clip spo2 sensor , Redel plastic 6pin , one bit



Use with KEMP: KP-900C/900B







GuoTeng / PUAO

OEM P/N	P/N	Description(Connector, Length)
	AF083	GuoTeng PUAO Adult finger clip spo2 sensor , Redel plastic 6pin , One bit















AF-A	Adult finger clip shell (Evitec Shape)	
AF-B	Adult finger clip shell (Nellcor Shape)	
PF	Pediatric finger clip shell	
AS	Adult soft tip rubber boot	
PS	Pediatric soft tip rubber boot	
NW-Y	Neonate wrap (Pads and wrap separately) Detachable	

Spo2 sensor

NW-I	Neonate wrap – Non Detachable	
NW-F	Neonate Wrap with Foam Wrap	<i>New</i>
AE-K	Adult ear clip kits	
AT-K	Animal Tongue/ Ear clip	
AT-S	Small Animal Tongue/ Ear clip - New type	<i>New</i>
AT-L	Large Animal Tongue/ Ear clip - New type	<i>New</i>
Lemo-5	Lemo Metal connector 5pin	
Lemo-7	Lemo Metal Connector 7pin	
Lemo-8	Lemo Metal Connector 8pin	

Spo2 sensor

drager-8	Drager Metal connector FGG.2B 8pin	
Hyps-O	Ohmeda Connector	
Hyps-S	Spacelab Connector	
Hyps-N	Novamatrix Connector	
Hyps-S	Simed Connector	
Readel-5S	Plastic Readel Connector , 5pins with Single notch on connector	
Readel-5D	Plastic Readel Connector , 4pins with Dual notches on connector	
Readel-6S	Plastic Readel connector , 6pin ,with single notch .	
Readel-6D	Plastic Readel connector , 6pin ,with dual notches .	
Readel-7S	Plastic Readel Connector , 5pins with Single notch on connector	
GE-MQ	GE Marquette 11pin connector	
NE-14pin	Nellcor/Colin/M.S 3M 14pin	

Spo2 sensor

PC-5pin	Pace Swithcraft Connector	Tech 5pin	
DS-8pin	Datascope DIN 8pin connector		
OXY-M	Datex-Ohmeda OXY-F-UN connector		
OXY-F	Datex-Ohmeda OXY-ES3 connector		
RBL-4.0	Round Cable , Diameter 4.0 , Blue Color		
RWT-4.0	Round Cable , Diameter 4.0 , White Color		
RGY-4.0	Round Cable , Diameter 4.0 , Gray Color		
YGY-2.5	Y Cable , Diameter 2.5, Gray Color		
YBL-2.5	Y Cable , Diameter 2.5. Blue Cable		